ENGINEERING EQUIPMENT

齐陆工贸
QILU

LAWN MOWER

POWERFUL EFFICIENT DURABLE



COMPANY STRENGTH

FACTORY VIEW








PRODUCTION PROCESS








齐陆工贸 QILU

CONTENTS

A WIDE VARIETY OF LAWNMOWERS

01 Strength LAWN MOWER

02 QL-500Y LAWN MOWER

QL-500F LAWN MOWER 03

QL-R800 LAWN MOWER 04

05 QL-R1000 LAWN MOWER

06 QL-R1200 LAWN MOWER

LAWN MOWER



QL-500Y

LAWN MOWER

齐陆工贸 QILU

FEATURES

- ACTUATOR MOTOR, ALUMINUM ALLOY HOUSING
- STEEL GUARDS ON TRACKS
- BRUSHLESS MOTORS EQUIPPED
- IMPORTED ITALIAN BLADES & SCREWS
- SELF-DEVELOPED MOLD BAFFLES
- REMOTE START (ELECTRIC START)
- INTEGRATED CIRCUITS APPLIED
- HIGH-QUALITY MOTORS



PERFORMANCE PARAMETERS

MODEL	QL-500Y
CUTTING WIDTH	500 MM
POWER	6.5 HP
STARTING METHOD	REMOTE CONTROL ELECTRIC START
LIFTING METHOD	REMOTE CONTROL LIFTING
NUMBER OF BLADES	2 PCS
CUTTING HEIGHT	20-150 MM
OVERALL MACHINE WEIGHT	140 KG
WALKING SPEED	4 KM/H
VOLTAGE AND ELECTRICITY	24 V 24 AH
CLIMBING	45°
FUEL TANK CAPACITY	1.2 L
FUEL CONSUMPTION	1.2 L/H

DIMENSIONS

OVERALL DIMENSIONS: 900*930*520 MM
PACKAGING DIMENSIONS: 950*980*670 MM

STANDARD ENGINE

RATO225 Euro 5

OPTIONAL ENGINES

Rato Euro 5 / Rato EPA / Locin Euro 5 / Locin EPA / Kohler Euro 5 or EPA

OPTIONAL FUNCTION

Industrial Remote Control, Snowplow

STANDARD COLORS

Red, Blue (Customizable colors)

APPLICABLE SCENARIOS

Lawn mowing, Land clearing, Grass shredding in orchards, Landscape maintenance

EMISSIONSTANDARD	EURO5, EPA
ENGINETYPE	GASOLINE ENGINE



QL-500F

LAWN MOWER

齐陆工贸 QILU

FEATURES

- BRUSHLESS MOTORS EQUIPPED
- IMPORTED ITALIAN BLADES & SCREWS
- SELF-DEVELOPED MOLD BAFFLES
- REMOTE START (ELECTRIC START)
- INTEGRATED CIRCUITS APPLIED
- HIGH-QUALITY MOTORS



PERFORMANCE PARAMETERS

MODEL	QL-500F
CUTTING WIDTH	500 MM
POWER	6.5 HP
STARTING METHOD	REMOTE CONTROL ELECTRIC START
NUMBER OF BLADES	2 PCS
CUTTING HEIGHT	70 MM
OVERALL MACHINE WEIGHT	115 KG
WALKING SPEED	7 KM/H
VOLTAGE AND ELECTRICITY	24 V 70 AH
CLIMBING	45°
FUEL TANK CAPACITY	1.2 L
FUEL CONSUMPTION	1.2 L/H

DIMENSIONS

OVERALL DIMENSIONS: 980*880*460 MM
PACKAGING DIMENSIONS: 1030*930*630 MM

STANDARD ENGINE

RATO225 Euro 5

OPTIONAL ENGINES

Rato Euro 5 / Rato EPA / Locin Euro 5 / Locin EPA / Kohler Euro 5 or EPA

OPTIONAL FUNCTION

Industrial Remote Control

STANDARD COLORS

Red, Blue
(Customizable colors)

APPLICABLE SCENARIOS

Lawn mowing, Land clearing, Grass shredding in orchards, Landscape maintenance

EMISSIONSTANDARD	EURO5, EPA
ENGINETYPE	DIESEL ENGINE



QL-R800

LAWN MOWER

齐陆工贸 QILU

FEATURES

- COMPACT AND WELL-ENGINEERED STRUCTURE
- SUPERIOR WEED CUTTING AND SHREDDING PERFORMANCE
- FULLY CUSTOMIZABLE CONFIGURATION
- EFFICIENT ANDDURABLE POWER TRANSMISSION SYSTEM
- THE MACHINE SUPPORTS SELF-GENERATED POWER AND USES DURABLE COMPONENTS SUCH AS A BRUSHLESS MOTOR



PERFORMANCE PARAMETERS

MODEL	QL-R800
CUTTING WIDTH	800 MM
POWER	12 HP
NUMBER OF BLADES	32 PCS
CUTTING HEIGHT	20-200 MM
OVERALL MACHINE WEIGHT	338 KG
WALKING SPEED	6 KM/H
VOLTAGE AND ELECTRICITY	24 V 20AH
CLIMBING	45°
FUEL TANK CAPACITY	5.5 L
FUEL CONSUMPTION	1.2 L

DIMENSIONS

OVERALL DIMENSIONS: 1560*980*820 MM
PACKAGING DIMENSIONS: 1620*1040*1030 MM

STANDARD ENGINE

KOOP192 diesel engine

OPTIONAL ENGINES

KOOP192 / KOOP192 Euro 5 / Locin420EPA

OPTIONAL FUNCTION

Remote control lifting, industrial remote control

STANDARD COLORS

Red, Yellow, Green (Customizable colors)

APPLICABLE SCENARIOS

Lawn mowing, Land clearing, Grass shredding in orchards, Landscape maintenance

EMISSIONSTANDARD	EURO5, EPA
ENGINETYPE	DIESEL ENGINE / GASOLINE ENGINE



QL-R1000

LAWN MOWER

齐陆工贸 QILU

FEATURES

- COMPACT AND WELL-ENGINEERED STRUCTURE
- SUPERIOR WEED CUTTING AND SHREDDING PERFORMANCE
- FULLY CUSTOMIZABLE CONFIGURATION
- EFFICIENT ANDDURABLE POWER TRANSMISSION SYSTEM
- THE MACHINE SUPPORTS SELF-GENERATED POWER AND USES DURABLE COMPONENTS SUCH AS A BRUSHLESS MOTOR



PERFORMANCE PARAMETERS

MODEL	QL-R1000
CUTTING WIDTH	1000 MM
POWER	12 HP
NUMBER OF BLADES	40 PCS
CUTTING HEIGHT	20-200 MM
OVERALL MACHINE WEIGHT	346 KG
WALKING SPEED	6 KM/H
VOLTAGE AND ELECTRICITY	24 V 20 AH
CLIMBING	45°
FUEL TANK CAPACITY	5.5 L
FUEL CONSUMPTION	1.2 L

DIMENSIONS

OVERALL DIMENSIONS: 1560*1170*820 MM
PACKAGING DIMENSIONS: 1620*1220*1030 MM

STANDARD ENGINE

KOOP192 diesel engine

OPTIONAL ENGINES

KOOP192 / KOOP192 Euro 5 / Locin459EPA

OPTIONAL FUNCTION

Remote control lifting, industrial remote control

STANDARD COLORS

Red, Yellow, Green (Customizable colors)

APPLICABLE SCENARIOS

Lawn mowing, Land clearing, Grass shredding in orchards, Landscape maintenance

EMISSIONSTANDARD	EURO5, EPA
ENGINETYPE	DIESEL ENGINE / GASOLINE ENGINE



QL-R1200

LAWN MOWER

齐陆工贸 QILU

FEATURES

- COMPACT AND WELL-ENGINEERED STRUCTURE
- SUPERIOR WEED CUTTING AND SHREDDING PERFORMANCE
- FULLY CUSTOMIZABLE CONFIGURATION
- EFFICIENT ANDDURABLE POWER TRANSMISSION SYSTEM
- THE MACHINE SUPPORTS SELF-GENERATED POWER AND USES DURABLE COMPONENTS SUCH AS A BRUSHLESS MOTOR



PERFORMANCE PARAMETERS

MODEL	QL-R1200
CUTTING WIDTH	1200 MM
POWER	15 HP
NUMBER OF BLADES	48 PCS
CUTTING HEIGHT	20-200 MM
OVERALL MACHINE WEIGHT	356 KG
WALKING SPEED	6 KM/H
VOLTAGE AND ELECTRICITY	24 V 20 AH
CLIMBING	45°
FUEL TANK CAPACITY	5.5 L
FUEL CONSUMPTION	1.5 L

DIMENSIONS

OVERALL DIMENSIONS: 1560*1380*820 MM
PACKAGING DIMENSIONS: 1620*1430*1030 MM

STANDARD ENGINE

KOOP192 diesel engine

OPTIONAL ENGINES

KOOP192 / KOOP192 Euro 5

OPTIONAL FUNCTION

Remote control lifting, industrial remote control

STANDARD COLORS

Red, Yellow, Green (Customizable colors)

APPLICABLE SCENARIOS

Lawn mowing, Land clearing, Grass shredding in orchards, Landscape maintenance

EMISSIONSTANDARD	EURO5, EPA
ENGINETYPE	DIESEL ENGINE / GASOLINE ENGINE

